उत्तर प्रदेश के जिला मुख्यालयों को राज्य की राजधानी से एस.टी.डी. सेवा से जोड़ा जाना

4532. श्री आनन्द प्रकाश गौतम : क्या संचार मंत्री यह बताने की कृपा करेंगे कि :

(क) क्या उत्तर प्रदेश की राजधानी लखनऊ को प्रदेश के सभी जिला मुख्यालयों के साथ एस. टी. डी. सुविधा से जोड़ने की कोई योजना है ;

(ख) उत्तर प्रदेश में अब तक कितने जिला मुख्यालयों को एस.टी. डी. डी. सुविधा से जोडा गया है ;

(ग) लखनऊ से केवल 25 किलोमीटर की दूरी पर स्थित बाराबंकी जिला मुख्यालय को अभी तक एस.टी. डी. सुविधा से जोड़ने में विलंब होने के क्या कारण है : और

(घ) बाराबंकी को यह सुविधा कब तक उपलब्ध करा दी जाएगी ?

संचार मंत्रालय में राज्य मंत्री (श्री गिरिधर गोमांगो): (क) जी, हां ।

(ख) 42 जिला मुख्यालयों को एस० टी० डी० सुविधा उपलब्ध करा दी गई है ।

(ग) बाराबंकी को लखनऊ के साथ जोड़ने के लिए माईक्रोवेव ट्रांसमिशन लिंक चालू करने का काम प्रगति पर है ।

(घ) मार्च, 1990 तक ।

Generation of Energy through Nonconventional Sources

4533. SHRI SHANTI TYAGI : Will the Minister of ENERGY be pleased to state:

(a) whether it is a fact that the I Departmeni of non-Conventional Energy Saurces has visualised a plan to generate 30,000 MW of power through non-conventional sources of energy by the end of the century;

(b) if so, what are the details of this plan;

(c) the amount of money needed to implement it; and

(d) the amount allocated for the j purpose during the last three years of the current Plan ?

THE MINISTER OF ENERGY: (SHRI VASANT SATHE) : (a) to (c) The Department of Non-Conventional Energy Sources has prepared a paper entitled 'Energy-2001' perspective Plan—Non-Conventional Energy Sources which envisages increasing utilisation of renewable energies reaching a potential annual energy generation/saving from new and renewable sources of energy to the extent of 250.17 million tonnes of coal replacement per year by the turn of the century; this includes generation of 15,000 MW of power mainly from biomass, wind, solar and micro hydel sources as well as generation/saving of energy from improved chulhas, biogas plants and other renewable sources. It was estimated that the total Plan would require an amount of Rs. 43529.38 crores with a Government share of | Rs. 11779.83 crores by 2001 A.D.

(d) Amount allocated to Department of Non-Conventional Energy